



Technical Data Sheet

Layout Fluid

Layout Fluid

Ready-to-use, liquid, highly effective contrast agent for machining workpieces.



Overview

Properties

- Quick-drying on all metals
- Formation of a uniform colour application in terms of thickness and toning
- No flaking or embrittlement
- No reflection
- Exact marking
- Exact cut contour
- Especially suitable for forged and cast parts

Application

For applying ink markings when marking metallic workpieces in preparation for mechanical processing. For signing finished parts and packing pieces with templates. Exact marking and application of cut contours.

Colours and item numbers

Colour	Container	Item number
● Red transparent	Dispensing pen, 35 ml	93100-DP(15).035
	Can with brush, 237 ml	93100-DP.237
● Blue transparent	Dispensing pen, 35 ml	94100-DP(15).035
	Can with brush, 237 ml	94100-DP.237

Technical data

Application temperature		10 °C - 40 °C
Density		0.79 - 0.81 g/cm3
Flash point		10 °C - 40 °C
VOC value		402.9 g/l
Shelf life	Dispensing pen	12 months
	Can	24 months

Disclaimer

The above information in this technical data sheet (TDS), in particular suggestions for the processing and application of our products, is based on our current knowledge and experience. Due to the different application possibilities and the application and working conditions beyond our control, we assume no liability for the suitability of our products for the relevant production processes under the specific working conditions and the intended processing purposes and results. To ensure such suitability, we recommend in any case that you carry out sufficient trials and tests yourself beforehand.

Any liability resulting from the information in this technical data sheet and any other written or verbal advice for this product is expressly excluded, unless otherwise agreed in an individual contract, in the event of injury to life, limb or health, in the event of intent or gross negligence on our part or in the event of liability under mandatory product liability law.

The data contained herein is for information purposes only and is believed to be reliable to the best of our knowledge. However, we cannot accept liability for results obtained by others over whose methods we have no control. It is the user's responsibility to determine the suitability of any production methods mentioned herein for his purposes and to take such precautions as may be necessary to protect property and persons from hazards which may be encountered in the handling and use of these products. Accordingly, Lackfabrik Bäder GmbH & Co. KG rejects in particular any express or implied liability arising from the sale or use of products from Lackfabrik Bäder GmbH & Co. KG, including any warranty obligations or guarantees of suitability for a particular purpose. The company Lackfabrik Bäder GmbH & Co. KG specifically disclaims any liability for consequential or indirect damages of any kind, including lost profits.

Imprint

Lackfabrik Bäder GmbH & Co. KG
Postfach 100125
73701 Esslingen

Tel.: +49 (0) 711 381607
Fax: +49 (0) 711 383092

info@lackfabrik-baeder.de
baederlacke.eu

Kreissparkasse Esslingen
IBAN: DE41 6115 0020 0000 9060 56
BIC: ESSLDE66

VAT ID No.: DE 145355476
Tax number: 59364-03025

We are certified according to DIN EN ISO
9001:2015



Our products are produced in Germany
and the EU

Made in Germany

