

8311 // BLUE WAVE

Nitrile disposable gloves
PPE risk category III | Medical device class I



Very good tactile sensitivity
Very good dry and oil grip
Very robust and resistant



8311 // BLUE WAVE

| | |
|------------------------|---------------|
| Material: | Nitrile, blue |
| Coating: | - |
| Size(s): | S-2XL |
| Packaging unit: | 10 piece(s) |
| Certification: | EN ISO 374 |

NITRAS BLUE WAVE, nitrile disposable gloves, blue (color code: 2200), non-sterile, rolled cuff, powder-free, manufactured according to EN 455, for food contact, ambidextrous (left and right hand), medical gloves, micro-textured fingertips, color-coded size system, AQL 1.5, protection against microorganisms, bacteria, and viruses, protection against radioactive contamination by solid particles, highly sensitive, ideal for working with small parts, excellent tactile sensitivity, very good dry and oily grip, particularly robust and durable, Class I medical devices, PPE risk category III, box of 100

ISO 374-1/Type B



JKT

ISO 374-5:2016



VIRUS

EN 421:2010



NI



AQL
1,5



Industries

-  Care Edition
-  Dental Edition
-  Medical Edition

Advantages

- + Very good tactile sensitivity
- + Very good dry and oil grip
- + Very robust and resistant



Further images



Colour variants



8311 // BLUE WAVE
Colour code: 2200



8304 // GLAMOUR WAVE
Colour code: 6300



8310 // WHITE WAVE
Colour code: 1100



8320 // BLACK WAVE
Colour code: 1000



8321 // PINK WAVE
Colour code: 6300



8322 // PURPLE WAVE
Colour code: 6200



8323 // GREEN WAVE
Colour code:



8324 // INDIGO WAVE
Colour code: 2400



8325 // MINT WAVE
Colour code: 3200



8326 // RED WAVE
Colour code: 6000






8327 // CANDY WAVE
Colour code: 6400



8328 // VIOLET WAVE
Colour code: 6200

Performance values

| EN ISO 374-1:2016 + A1:2018 | Test parameter | Performance levels | Test result |
|--|----------------------------|--------------------|-------------|
|  JKT | J - n-Heptane | 1-6 | 2 (> 30) |
| | K - Sodium hydroxide 40% | 1-6 | 6 (> 480) |
| | T - Formaldehyde 37% | 1-6 | 4 (> 120) |
| EN ISO 374-5:2016 | Test parameter | Performance levels | Test result |
|  VIRUS | Penetration | - | Passed |
| | Protection against viruses | - | Passed |
| EN 421:2010 | Test parameter | Performance levels | Test result |
|  | | | |

Additional information

| | Material | Colour |
|------------------------|----------|--------|
| Palm | Nitrile | blue |
| Index finger and thumb | Nitrile | blue |
| Back of the hand | Nitrile | blue |
| Fingertips | Nitrile | blue |
| Cuff / knitted wrist | Nitrile | blue |

Thickness

| | |
|--------|---------|
| Finger | 0,10 mm |
| Palm | 0,08 mm |
| Cuff | 0,07 mm |

| Size | Length (mm) | Width palm (mm) |
|------|-------------|-----------------|
| S | 240 | 85 |
| M | 240 | 95 |
| L | 240 | 105 |
| XL | 240 | 115 |
| 2XL | 240 | 125 |

| Properties | Before ageing | After ageing |
|---------------------|---------------|--------------|
| Elongation at break | 1% | 1% |
| Tear resistance | 18 MPa | 20 MPa |

Logistics data

| Size | GTIN (SPU) | GTIN (PU) | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|----------------------|
| S | 4059904035492 | 4059904003903 | 0,34 m | 0,24 m | 0,24 m | 3,95 kg | 80 |
| M | 4059904035508 | 4059904003910 | 0,34 m | 0,24 m | 0,24 m | 4,37 kg | 80 |
| L | 4059904035515 | 4059904003927 | 0,34 m | 0,24 m | 0,24 m | 4,68 kg | 80 |
| XL | 4059904035522 | 4059904003934 | 0,34 m | 0,24 m | 0,24 m | 4,82 kg | 80 |
| 2XL | 4059904165212 | 4059904165229 | 0,34 m | 0,24 m | 0,24 m | 5,1 kg | 80 |

Customs tariff number: 40151200000

Country of origin: Malaysia